

The background of the advertisement is a close-up photograph of a granite surface. It features a complex pattern of veins in shades of white, grey, and brown, with some areas showing iridescent colors like purple and blue. The texture is rough and crystalline.

AVALTA
GRANITO

GLUE
COLLECTION

A CLASS THAT
WILL ENHANCE YOUR
SPACE TO A LEVEL
WHICH TRULY REFLECT.

600X1200MM

www.avaltagranito.com



IT'S ALL ABOUT US

Avalta is a Group Venture by Avalta Granito which is renowned brands of the ceramic industry, bringing together the best of expertise and experience of more than six years, Avalta aims to revolutionize the industry by introducing never-before seen tiles that are sure to raise the bar of grandeur a notch higher.

Exclusivity in design and exquisite finishes defines the Avalta as Best products offerings. Use of quality certified raw materials and innovative - modern technology, Tiles produces in Avalta are the best blend of stylish designs and productive long lasting strength. With the newfangled ideas, we assure and able to create consolidation of Beauty, Style & Quality in Vitrified Tiles which will drive you to the luxuries way...

MISSION

Willingness towards the enhancement of life style and passionately strive to delight every customer of AVALTA by providing innovative and quality products and services as ongoing basis and to become a most sought after brand.

VISION

Avalta Granito Pvt Ltd is committed to providing technologically-advanced, aesthetically designed, high-strength, premium quality vitrified tiles that satisfy commercial as well residential customer needs in domestic and international markets.

AVALTA
GRANITO





AVALTA
GRANITO



GLUE
COLLECTION

The glue series tiles come in a wide range of styles, including sleek modern designs, rustic finishes, and classic patterns, catering to different aesthetic preferences.

They are available in various materials such as ceramic, porcelain, and even natural stone, ensuring durability and long-lasting performance.

**600X
1200MM**

The tiles are designed to provide perfection
With the ultimate comfort and luxury experience
Their excellent performance and high quality.



GLUE
COLLECTION

GLUE FINISH




Glue Finish tiles are designed for easy installation, usually using an adhesive instead of traditional mortar. These tiles offer a convenient and efficient option for both enthusiasts and professional installers.

www.avaltagranito.com






ATHOS BIANCO



BROMWICH MINT



CARNIS BROWN




CHALKSTONE GREY



CICILIA BEIGE



ESCATO NOVA



FORMICA LEAF




FORMICA MOLD



MAGNATO RUST




MARCUS BIANCO



MARCUS NERO



MARCUS PETRON



MEDALLION GREEN




NATIVA GREY




PEVMENT LIGHT




PEVMENT RUST




SINTERD GRIS



SYDNEY WHITE



UNICOM GRIS



VOLCANO METAL

PRODUCT
RANGE




ATHOS BIANCO

600
X1200MM

FINISH
GLUE

RANDOM
04



REAL
IMAGE



IMPACT
RESISTANCE



HIGH
STRENGTH



ZERO
MAINTENANCE



LOW WATER
ABSORPTION



ATHOS BIANCO




BROMWICH MINT

600
X1200MM

FINISH
GLUE

RANDOM
04



⊕
**REAL
IMAGE**



IMPACT
RESISTANCE



HIGH
STRENGTH



ZERO
MAINTENANCE



LOW WATER
ABSORPTION





CARNIS BROWN

600
X1200MM

FINISH
GLUE

RANDOM
04






CHALKSTONE GREY


600
X1200MM

FINISH
GLUE


RANDOM
06




⊕
**REAL
IMAGE**




CHALKSTONE ALKALI




CHALKSTONE EARTH



CHALKSTONE ROSSA



CHALKSTONE RUST



CHALKSTONE SAND



CHALKSTONE GREY



CICILIA BEIGE

600
X1200MM

FINISH
GLUE

RANDOM
04



REAL
IMAGE




ESCATO NOVA

600
X1200MM

FINISH
GLUE

RANDOM
03



⊕
**REAL
IMAGE**



IMPACT
RESISTANCE



HIGH
STRENGTH



ZERO
MAINTENANCE



LOW WATER
ABSORPTION



FORMICA LEAF

600
X1200MM

FINISH
GLUE

RANDOM
03



⊕
**REAL
IMAGE**



FORMICA MOLD

600
X1200MM

FINISH
GLUE

RANDOM
04



REAL
IMAGE




FORMICA LEAF




MAGNATO RUST

600 X1200MM	FINISH GLUE	RANDOM 04
----------------	----------------	--------------





MAGNATO AZUL




MAGNATO CANDY



MAGNATO DESERT



MAGNATO METAL



MAGNATO SMOKE



MARCUS BIANCO

600
X1200MM

FINISH
GLUE

RANDOM
05



REAL
IMAGE



IMPACT
RESISTANCE



HIGH
STRENGTH



ZERO
MAINTENANCE



LOW WATER
ABSORPTION




MARCUS BIANCO



MARCUS NERO

600 X1200MM	FINISH GLUE	RANDOM 05
----------------	----------------	--------------






MARCUS PETRON

600
X1200MM

FINISH
GLUE

RANDOM
05






MEDALLION GREEN

600
X1200MM

FINISH
GLUE

RANDOM
04



REAL
IMAGE



MEDALLION GREEN



NATIVA GREY

600
X1200MM

FINISH
GLUE

RANDOM
04





NATIVA ASH



NATIVA BEIGE



NATIVA CAMEL



NATIVA CHARCOAL



NATIVA ORANGE




PEVMENT LIGHT

600
X1200MM

FINISH
GLUE


RANDOM
02





PEVMENT RUST

**600
X1200MM** **FINISH
GLUE** **RANDOM
02**



**REAL
IMAGE**




PEVMENT RUST



SINTERD GRIS

600 X1200MM	FINISH GLUE	RANDOM 06
----------------------------	----------------	--------------






SYDNEY WHITE


600
X1200MM

FINISH
GLUE

RANDOM
05



⊕
**REAL
IMAGE**





UNICOM GRIS

600
X1200MM

FINISH
GLUE


RANDOM
03



REAL
IMAGE




PEVMENT RUST



VOLCANO METAL

600 X1200MM	FINISH GLUE	RANDOM 03
----------------------------	----------------	--------------



⊕
**REAL
IMAGE**

Technical Specifications.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT / PGVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus Of Rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion(COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given o by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

Packing Details.

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.

Note: •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.





AVALTA GRANITO PVT. LTD.

Customer Care - +91 7211 111 591
Survey No 159, At Ratavirda, Sartanpar Road, Wankaner,
Morbi, Gujarat - 363621, India.

info@avaltagranito.com | www.avaltagranito.com