

AVALTA

GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION

SMOOTH SURFACE
THAT OFFERS A SUBTLE &
ELEGANT APPEARANCE.

600X 1200MM



IT'S ALL ABOUT US

Avalta is a Group Venture by Avalta Granito which is renowned brands of the ceramic industry, bringing together the best of expertise and experience of more than six years, Avalta aims to revolutionize the industry by introducing never-before seen tiles that are sure to raise the bar of grandeur a notch higher.

Exclusivity in design and exquisite finishes defines the Avalta as Best products offerings. Use of quality certified raw materials and innovative - modern technology, Tiles produces in Avalta are the best blend of stylish designs and productive long lasting strength. With the newfangled ideas, we assure and able to create consolidation of Beauty, Style & Quality in Vitrified Tiles which will drive you to the luxuries way...

MISSION

Willingness towards the enhancement of life style and passionately strive to delight every customer of AVALTA by providing innovative and quality products and services as ongoing basis and to become a most sought after brand.

VISION

Avalta Granito Pvt Ltd is committed to providing technologically-advanced, aesthetically designed, high-strength, premium quality vitrified tiles that satisfy commercial as well residential customer needs in domestic and international markets.

AVALTA
GRANITO




HIGH GLOSS
EN[∞]ESS
COLLECTION


600X1200MM

H I G H G L O S S

Endless Series Tiles Are A Vibrant And Stylish Collection Known For Their Bold Colors, Unique Patterns, And Eye-catching Designs. Inspired By The Elegance And Beauty Of Flamingos, These Tiles Often Feature A Blend Of Vivid Hues And Intricate Motifs That Add A Lively And Playful Touch To Any Space.


www.avaltagranito.com





ENDLESS

Our perfectly smooth and
HIGH GLOSS FINISH
of tiles provide an elegant
appearance that is ideal for modern
architecture and give them more beautiful look.




ASTRUM BLACK




CARLA GOLD



EMPOLI AQUA



EMPOLI BLUE




EMPOLI GOLD




EMPOLI NERO



FIORITA BOSCO



STRIKER
AQUAMARINE




STRIKER SMOKE

PRODUCT
RANGE



ASTRUM BLACK



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
04


DESIGN
ASTRUM BLACK

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION



CARLA GOLD



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
04


DESIGN
CARLA GOLD

AVALTA
GRANITO

HIGH GLOSS
EN[∞]ESS
COLLECTION



EMPOLI AQUA



600
X1200MM


FINISH
HIGH GLOSS

RANDOM:
04


DESIGN
EMPOLI AQUA

AVALTA
GRANITO

HIGH GLOSS
EN∞ESS
COLLECTION



EMPOLI BLUE



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
04

DESIGN
EMPOLI BLUE


AVALTA
GRANITO

HIGH GLOSS
EN[∞]ESS
COLLECTION

12:05	DF	1872	ROMA	16
13:05	TX	2844	SAN FRANCISCO	18
13:10	DF	2778	WASHINGTON	22
13:15	DF	6661	MIAMI	25
13:30	DF	1835	BOSTON	27
14:05	DF	3487	NEW YORK	34
14:10	PA	5194	ATLANTA	35
14:35	DF	0028	CHICAGO	40



EMPOLI GOLD



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
04


DESIGN
EMPOLI GOLD

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION



EMPOLI NERO



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
04

DESIGN
EMPOLI NERO

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION



FIORITA BOSCO



600
X1200MM

FINISH
HIGH GLOSS


DESIGN
FIORITA BOSCO

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION



STRIKER AQUAMARINE



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
03


DESIGN
STRIKER AQUAMARINE

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION



STRIKER SMOKE



600
X1200MM

FINISH
HIGH GLOSS

RANDOM:
03

DESIGN
STRIKER SMOKE

AVALTA
GRANITO

HIGH GLOSS
EN ∞ ESS
COLLECTION

Technical Specifications.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT / PGVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus Of Rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion(COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given o by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

Packing Details.

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.

Note: •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.





AVALTA GRANITO PVT. LTD.

Customer Care - +91 7211 111 591
Survey No 159, At Ratavirda, Sartanpar Road, Wankaner,
Morbi, Gujarat - 363621, India.

info@avaltagranito.com | www.avaltagranito.com